

رضا سندروس

استادیار

دانشکده: علوم

گروه: شیمی



سوابق تحصیلی

دانشگاه	رشته و گرایش تحصیلی	سال اخذ مدرک	مقطع تحصیلی
بیرجند	شیمی محض	۱۳۸۲	کارشناسی
فردوسي	شیمی آلي	۱۳۸۵	کارشناسی ارشد
فردوسي	شیمی آلي	۱۳۸۹	دکتراي تخصصي

اطلاعات استخدامی

پایه	نوع همکاری	نوع استخدام	عنوان سمت	محل خدمت
۸	تمام وقت	رسمی آزمایشی	عضو هیات علمی	گروه شیمی

سوابق اجرایی

مدیر گروه شیمی به مدت ۵ سال

موضوعات تدریس تخصصی

شیمی آلي

شیمی فیزیک آلي

مقالات در همایش ها

۱. علی زراعتکار مقدم، آیتی علی، رضا سندروس، دیمه فاطمه، تابانی هادی، حذف رنگ اسیدی کنگورد از پساب های صنعتی با استفاده از نانوذرات مغناطیسی چیتوسان/AI2O3/ اکسید آهن، کنفرانس ملی حفاظت محیط زیست، شماره صفحات -، تهران، ۱۴۰۴، ۲۰۱۶.

sanaz naderi,,Synthesis and Characterization of a Novel Crowned Schiff Base Ligand Linked .1
to Ionic Liquid and Application of Its Mn(III) Complex in the Epoxidation of Olefins,Chemical
.Methodologies,No. 7,pp. 392-404,2023,ISI,isc

Mn(III) Schiff base complexes containing crown ether rings immobilized onto MCM-41 matrix,, .2
as heterogeneous catalysts for oxidation of alkenes,Heliyon,Vol. 4,No. 9,pp.
.15041-0,2023,ISI,JCR,Scopus

Behrooz Maleki,sanaz naderi,,A crowned manganese-based Schiff complex supported on .3
nanocellulose as an efficient and sustainable heterogeneous catalyst for the oxidation of benzyl
.alcohols,Journal of Organometallic Chemistry,No. 990,pp. 122666-0,2023,JCR,Scopus

sanaz naderi,Sahar Peiman,behrooz maleki,Novel crowned cobalt (II) complex containing an .4
ionic liquid: A green and efficient catalyst for the one-pot synthesis of chromene and xanthene
derivatives starting from benzylic alcohols,Journal of Physics and Chemistry of Solids,No.
.180,pp. 111459-0,2023,JCR,Scopus

Ali Allahresani,Design of a new unsymmetrical bis (imino) pyridine Schiff.base co.complex .5
with an ionic liquid group as a recyclable green catalyst to prepare chromenes derivatives from
.benzylic alcohol,Transition Metal Chemistry,No. 48,pp. 269-280,2023,JCR,Scopus

New ecofriendly heterogeneous nano-catalyst for the synthesis of 1-substituted and,_ .6
5-substituted 1H-tetrazole derivatives,Scientific Reports,No. 12,pp.
.15364-15380,2022,JCR,Scopus

Efficient synthesis of sulfones and sulfoxides from رضا سندروس, بهروز ملکی, ساناز نادری, سحر پیمان, .7
sulfides by cobalt-based Schiff complex supported on nanocellulose as catalyst and Oxone as
-شماره صفحات ۱.the terminal oxidant (DOI active).Inorganic Chemistry Communications
.JCR,Scopus,۷,۲۰۲۲

sanaz naderi,,Efficient synthesis of sulfones and sulfoxides from sulfides by cobalt-based, .8
Schiff complex supported on nanocellulose as catalyst and Oxone as the terminal
.oxidant,Inorganic Chemistry Communications,No. 148,pp. 110294-0,2023,ISI,JCR,Scopus
Design of a New Poly Imidazolium-Tagged Cobalt (II) Schiff Base Complex for Selective,_ .9
Oxidation of Alcohols and Sulfides in a Water Solvent,Polycyclic Aromatic Compounds,pp.
.1-19,2021,JCR,Scopus

Design of a New Poly Imidazolium-Tagged Cobalt (II) Schiff Base Complex for Selective,_ .10
Oxidation of Alcohols and Sulfides in a Water Solvent,Polycyclic Aromatic Compounds,pp.
.1-19,2021,JCR,Scopus

Mehri Salimi tabas,Effective and selective aerobic oxidation of primary and secondary .11
alcohols using CoFe2O4@HT@Imine-Cull and TEMPO in the air atmosphere,Applied
.Organometallic Chemistry,No. 35,pp. 1-15,2020,JCR,Scopus

Mehri Salimi tabas,Efcient synthesis of spirooxindole derivatives by magnetic and recyclable .12
CaFe2O4@MgAl-LDH,Journal of the Iranian Chemical Society,No. 18,pp.
.1-12,2020,JCR,isc,Scopus

Polymeric imidazolium ionic liquid-tagged manganese Schiff base complex: an efficient,_ .13
catalyst for the Biginelli reaction,Research on Chemical Intermediates,Vol. 11,No. 46,pp.
.4939-4954,2020,JCR,Scopus

Highly Proficient Poly Ionic Liquid Functionalized Mn(III) Schiff-Base Catalyst for Green,_ .14
.Synthesis of Chromene Derivatives,ChemistrySelect,Vol. 24,No. 5,pp. 7148-7154,2020,JCR
Damavandi Saman,I-Proline-catalyzed three-component synthesis of condensed .15
.imidazoles,Arabian Journal of Chemistry,Vol. 9,pp. 0-0,2016,JCR,Scopus

Damavandi Saman,Molaei Hamid Reza,Synthesis of 10-aryl-7 9-dihydro-3H-furo 3 4-b .16
pyrazolo 4 3-f quinolin-9-one using supported ionic liquid,Research on Chemical
.Intermediates,Vol. 41,No. 3,pp. 1517-1524,2015,JCR,Scopus

- Nazif Alireza,Molaei Hamidreza,Salimi Saeid,Multicomponent synthesis of a new series of .17
4H-furo 3 4-b pyrans with iron(III) triflate as catalyst,Research on Chemical Intermediates,Vol.
.41, No. 8,pp. 5033-5040,2015,JCR.Scopus
- Damavandi Saman,Novel Functionalized Pyridoindole Derivatives Catalyzed by Iron(III) .18
Triflate,Synthesis and Reactivity in Inorganic Metal-Organic and Nano-Metal Chemistry,Vol.
.45, No. 11,pp. 1660-1663,2015,ISI.JCR.Scopus
- mohammadi ali,Teymori vahid,Riazi hassn,Biologically active heterocycle pyranopyridines A .19
.synthetic,Research Journal of Chemical and Environmental Sciences,Vol. 2,pp. 49-53,2014
- Moosavi Seyed Jamshid ,Mohammadi Reza ,nazif alireza,molaei hamidreza,Organo-iron .20
catalyzed synthesis of novel 3H-furopyrrazoloquinolinones,Organic Preparations and Procedures
.International,Vol. 10, No. 11,pp. 452-456,2014,JCR.Scopus
- Vadi Mehdi ,Nazif Ali ,Damavandi Saman,Isocyanic-based multicomponent synthesis of novel .21
.polysubstituted,organic chemistry,Vol. 10, No. 8,pp. 315-318,2014
- Zohuri G. Hossein,Damavandi Saman ,Ahmadjo Saeid,Shamekhi Mohammad A.,Synthesis of .22
high molecular weight polyethylene using Fl,Polyolefins Journal,Vol. 1, No. 1,pp.
.25-32,2014,isc.Scopus
- damavandi saman,Synthesis of 8-aryl-7H-acenaphtho 1 2-d imidazoles by multicomponent .23
reaction of acenaphthylene-1 2-dione and aromatic aldehydes with ammonium acetate catalyzed
by ferric hydrogensulfate,Research on Chemical Intermediates,Vol. 40,pp.
.2681-2687,2014,JCR.Scopus
- GOLDANI MOHAMMAD TAGHI, MOHAMMADI ALI,Green oxidation of alkenes in ionic liquid .24
solvent by hydrogen peroxide over high performance Fe(III) Schiff base complexes immobilized
.on MCM-41,Journal of Chemical Sciences,Vol. 126, No. 3,pp. 801-805,2014,JCR.Scopus
- Goldani Mohammad Taghi,Damavandi Saman,Efficient polymeric catalyst for one-pot .25
synthesis of acenaphtho 1 2-b pyrroles,Research on Chemical Intermediates,Vol. 40,pp.
.139-147,2014,JCR.Scopus
- saman damavandi,Zohuri Gholam Hossein,Ahmadjo Saied,A novel multicomponent Zr- .26
catalyzed synthesis of functionalized pyrano 3 2-b pyrrole derivatives,Research on Chemical
.Intermediates,Vol. 40,pp. 307-315,2014,JCR.Scopus
- Zohuri Gholam Hossein,Damavandi, Saman,Polymeric catalyst for the synthesis of new .27
pyrido 2 3-b indoles,Research on Chemical Intermediates,Vol. 39,pp.
.2115-2121,2013,JCR.Scopus
- Eshghi Hossein,Zohuri Gholam Hossein,Damavandi Saman,Synthesis of novel benzo f .28
chromene compounds catalyzed by ionic liquid,Heterocyclic Communications,Vol. 18,pp.
.67-70,2013,JCR.Scopus
- Damavandi Saman,Mohammadi Ali,Ultrasonic-assisted Cu-catalyzed multicomponent .29
synthesis of furo 3 4-b pyrazolo 4 3-f quinolinones,Heterocyclic Communications,Vol. 19,pp.
.105-108,2013,JCR.Scopus
- Damavandi Saman,Catalyst-free synthesis of polysubstituted furans,Heterocyclic .30
.Communications,Vol. 19,pp. 105-108,2013,JCR.Scopus
- VADI MEHDİ,DAMAVANDI SAMAN,Efficient example of cross-linked polymeric catalysed .31
synthesis of 7H-benzo h indeno 1 2-b quinolin-8-one and 8H-naphtho 2 3-h indeno 1 2-b
.quinolin-9-one,Journal of Chemical Sciences,Vol. 125,pp. 1497-1501,2013,JCR.Scopus
- Damavandi Saman,KHPO₄/ultrasonic irradiation catalyzed multicomponent synthesis of .32
aminocyanopyrano 3 2-b indole,Research on Chemical Intermediates,Vol. 39,pp.
.1251-1256,2013,JCR.Scopus
- DAMAVANDI Saman,Ultrasound-assisted one-pot synthesis of disubstituted and .33
trisubstituted 1H-benzo f chromene derivatives catalyzed by 4-nitro-2 6-diacylpyridinebis(2 4 6-
trimethylaniline)FeCl₂,Research on Chemical Intermediates,Vol. 39,pp.
.4167-4174,2013,JCR.Scopus

- Goldani Mohammad Taghi ,Damavandi Saman,One-pot synthesis of acenaphtho 1 2-b furan .34
.derivatives,Chinese Chemical Letters,Vol. 23,pp. 169-171,2012,JCR.Scopus
- Damavandi Saman ,Galland Griselda Barrera ,Zohuri Gholam Hossein,Fl Zr-type catalysts for .35
.ethylene polymerization,Journal of Polymer Research,Vol. 18,pp. 1059-1065,2012,JCR.Scopus
- Damavandi Saman ,Vafaei Majid,Molaei Hamid Reza,First example of multicomponent .36
synthesis of 1-ethoxy-3-(4-aryl)-1-phenyl-1H-benzo f chromene derivatives,Chinese Chemical
.Letters,Vol. 23,pp. 253-256,2012,JCR.Scopus
- Damavandi Saman ,Goldani Mohammad Taghi,Preparation of new Fl-type catalyst for .37
.polymerization of,E-POLYMERS,No. 60,pp. 60-,2012,JCR.Scopus
- Goldani Mohammad Taghi,Damavandi Saman,One-pot synthesis of acenaphtho 1 2-b .38
.pyrroles,Heterocyclic Communications,No. 18,pp. 157-160,2012,JCR.Scopus
- Damavandi Saman ,Hossein Zohuri Gholam,Ahmadjo Saied,Novel functionalized .39
bis(imino)pyridine cobalt(II) catalysts for ethylene polymerization,Journal of Polymer
.Research,No. 19,pp. 9796-,2012,JCR.Scopus
- DAMAVANDI SAMAN,Bis(imino)pyridine (BIMP) Fe(II) catalyses one-pot green condensation .40
of resorcinol malononitrile aromatic aldehydes and cyclohexanone,Journal of Chemical
.Sciences,No. 486,pp. 483-486,2012,JCR.Scopus
- MOHAMMADI ALI ,KESHVARI HOSSEIN ,ROUHI HAMED,SEPEHR ZEINALABEDIN,A novel .41
polymeric catalyst for the one-pot synthesis of 2 4 5-triaryl-1H-imidazoles,Journal of Chemical
.Sciences,No. 124,pp. 717-722,2012,JCR.Scopus
- DAMAVANDI SAMAN,A novel and facile approach for synthesis of 5-amino-7-aryl-6-cyano-4H- .42
.pyrano 3 2-b pyrroles,Journal of Chemical Sciences,No. 124,pp. 893-899,2012,JCR.Scopus
- Damavandi Saman,Mehri Salimi tabas,Mohammadi Ali,Karimian Azam,Hasanpour .43
Maede,New approach for the synthesis of novel,Molecular Diversity,No. 16,pp.
.269-277,2012,JCR.Scopus
- Damavandi Saman,Mehri Salimi tabas,Facile one-pot synthesis of 5-amino-7-aryl-6-cyano-4H .44
pyrano 3 2-b pyrroles using supported hydrogen sulfate ionic liquid,Monatshefte fur Chemie,No.
.143,pp. 1655-1661,2012,JCR.Scopus
- Eshghi Hossein ,Mohammad ali Nasser,Molaei Hamid Reza,Damavandi Saman,Ferric .45
Hydrogensulfate-Catalyzed One-Pot Synthesis of Indeno 1 2-b quinoline-7-ones,Synthesis and
Reactivity in Inorganic Metal-Organic and Nano-Metal Chemistry,No. 42,pp.
.573-578,2012,ISI.JCR.Scopus
- Damavan Saman,Novel Synthetic Route to Pyrano 2 3-b pyrrole Derivatives,Synthesis and .46
Reactivity in Inorganic Metal-Organic and Nano-Metal Chemistry,No. 42,pp.
.621-627,2012,ISI.JCR.Scopus
- GOLDANI MOHAMMAD TAGHI,DAMAVANDI SAMAN,MOHAMMADI ALI,Efficient asymmetric .47
Baeyer Villiger oxidation of prochiral cyclobutanones using new polymer-supported and
unsupported chiral co(salen) complexes,Journal of Chemical Sciences,No. 124,pp.
.871-876,2012,JCR.Scopus
- Damavandi Saman ,Pashirzad Maral,Synthesis of polysubstituted furans via a novel and .48
efficient heterocyclization approach,Research on Chemical Intermediates,Vol. 38,pp.
.1969-1974,2012,JCR.Scopus
- A comparative study of ethylene polymerization by bis(aminotropone) Ti catalysts,Polymer,, .49
.bulletin,Vol. 68,pp. 755-773,2011,JCR.Scopus
- Zohuri Gholam Hossein ,Damavandi Saman,Ahmadjo Saied,Ethylene polymerization using .50
.fluorinated Fl Zr-based catalyst,Polymer bulletin,Vol. 66,pp. 1051-1062,2011,JCR.Scopus
- Seyedi Seyed Mohammad ,Zohuri Gholam Hossein,Synthesis and application of new Schiff .51
base Mn(III) complexes containing crown ether rings as catalysts for oxidation of cyclohexene
and cyclooctene by Oxone,Supramolecular Chemistry,Vol. 23,pp. 7,
.509-517,2011,JCR.Scopus

- Damavandi Saman,Nazif Ali,Goharjoo Maraym,Mohammadi Ali,Highly efficient .52 bis(aminotropone) Ti catalyst for ethylene polymerization,Chinese Chemical Letters,Vol. 22,pp. 213-216,2011,JCR.Scopus
- Zohuri Gholam Hossein,Damavandi saman,Dianat Ebrahim,Ahmadjo saied,Late Transition .53 Metal Catalyst Based on Cobalt for Polymerization of Ethylene,International Journal of Polymeric Materials,Vol. 60,pp. 776-786,2011,JCR.Scopus
- Seyed Seyed Mohammad ,Zohuri Gholam Hossein,Novel cobalt(II) complexes of amino .54 acids Schiff bases catalyzed aerobic oxidation of various alcohols to ketones and .aldehyde,Chinese Chemical Letters,Vol. 21,pp. 130-1306,2010,JCR.Scopus
- Damavandi Saman,Farhadipour Abolghasem,A New Family of High-Performance TiCatalysts .55 for Olefin Polymerization,Macromolecular Chemistry and Physics,Vol. 211,No. 1,pp. 2339-2346,2010,JCR.Scopus
- Gholam Hossein Zohuri,Damavandi Saman ,Ahmadjo Saeid,Highly Active FI Catalyst of Bis N- .56 (3 5-dicumylsalicylidene)cyclohexylaminato - zirconium(IV) Dichloride for Polymerization of .Ethylene,Iranian Polymer Journal,Vol. 19,No. 9,pp. 679-679,2010,JCR.isc.Scopus
- Zohuri Gholam Hossein, Seyed Mohammad Seyed,Damavandi Saman ,Mohammadi Ali,Novel .57 Late Transition Metal Catalysts Based on Iron Synthesis Structures and Ethylene .Polymerization,Catalysis Letters,Vol. 140,pp. 160-166,2010,JCR.Scopus
- Saeid Ahmadjo Saeid , Zohuri Gholam Hossein ,Damavandi Saman,Comparative ethylene .58 polymerization using FI-like zirconium based catalysts,Reaction Kinetics, Mechanisms and .Catalysis,Vol. 101,pp. 429-442,2010,JCR.Scopus
- Eshghi Hossein ,Seyed Seyed Mohammad,Synthesis of novel disulfide-bridged dilactam .59 .crown ethers,Chinese Chemical Letters,Vol. 18,pp. 1439-1442,2007,JCR.Scopus
- پایان نامه ها
-
۱. سنتز کمپلکس های جدید نامتقارن بیس ایمینوپیریدین حاوی مایع یونی، تثبیت شده بر روی نانوذرات مغناطیسی اکسید آهن و کاربرد آن در واکنش های مختلف آلی
۲. بررسی عوامل موثره در گل گیاه زیتون تلخ و شناسایی دسته ای از آنها با استفاده از Mass-GC و کروماتوگرافی مایع
۳. سنتز و مطالعات طیفی یک کمپلکس فلز واسطه جدید مشتق شده از فنانترن کینون و دی آمینوپیریدین و کاربرد آن در دسته ای از واکنش های آلی
۴. سنتز، شناسایی و بررسی فعالیت کاتالیزوری یک مایع یونی حاوی کمپلکس شیف باز مشتق شده از ۶,2-دی آمینو پیریدین
۵. سنتز کاتالیزور دوعلای ایمیدازول تثبیت شده بر پایه نانو ذرات پکتین و کاربرد آن در واکنش های آلی
۶. سنتز کمپلکس فلزی ۶,2-دی آمینوپیریدین متصل به یک مایع یونی و کاربردش در واکنش های آلی به عنوان کاتالیزور
۷. سنتز مایع یونی جدید متصل به کمپلکس های فلزی شیف باز و کاربرهای کاتالیستی آن ها در واکنش های آلی
۸. تهیه و شناسایی کمپلکس های مشتق شده از ۲-آمینو اتیل دی هیدروژن فسفات تثبیت شده بر بستر مغناطیسی هیدروتالسیت و کاربرد آن در واکنش های آلی
۹. سنتز یک کمپلکس جدید شیف-باز متصل به مایع یونی و استفاده از آن در واکنش های آلی
۱۰. سنتز و کاربرد یک مایع یونی پلیمری جدید مشتق شده از ۱-وینیل ایمیدازول، تثبیت شده بر نانوذرات مغناطیسی
۱۱. سنتز و کاربرد یک مایع یونی جدید بر پایه ۱-وینیل ایمیدازول، تثبیت شده بر روی نانو صفحات گرافن اکساید
۱۲. سنتز و کاربردهای نانو کاتالیزورهای جدید بر پایه کیالت مشتق شده از بیس ایمینو پیریدین کروان دار